International Journal of Fatigue
Materials Structures Components

Index to Volume 14 (1992)

No 1 January pp 1–72
No 2 March pp 73–144
No 3 May pp 145–208
No 4 July pp 209–280
No 5 September pp 281–352
No 6 November pp 353–432

© 1992 Butterworth-Heinemann Ltd
Part of Reed International Books

Author Index

Abdel-Raouf, H., DuQuesnay, D.L., Topper, T.H. and Plumtree, A.
Notch-size effects in fatigue based on surface strain redistribution and crack closure 57
Akyurek, T. and Bilir, O.G.
A critique on fatigue crack growth life estimation methodologies 30
Amby, L. *see* Karger-Kocsis, J. 189
Auradkar, R. *see* Srivatsan, T.S. 355

Bache, M.R. and Evans, W.J.
Tension and torsion fatigue testing of a near-alpha titanium alloy 331
Bai-Ping, D. *see* Nian, L. 41
Bai-ping, D. and Nian, L.
Relation between fatigue threshold and fatigue limit for surface-rolled specimens 403
Baker, M.J. *see* Zhao, W 121
Baumgartner, A., Harzheim, L. and Mattheck, C.
SKO (soft kill option): the biological way to find an optimum structure topology 387
Baumont, P.W.R. *see* Kedward, K.T. 283
Beevers, C.J. *see* Dowson, A.L. 261
Bell, R. *see* Frise, P.R. 51
Bergengren, Y. and Melander, A.
An experimental and theoretical study of the fatigue properties of hot-dip-galvanized high-strength sheet steel 154
Bertini, L. and Conti, P.
Fatigue crack growth behaviour of four structural steels in air and in a geothermal fluid environment 75
Bilir, O.G. *see* Akyurek, T. 30
Bouchet, B. *see* Henaff, G. 211
Branco, C.M., Ferreira, J.M., Richardson, M.O.W. and Fael, P.
Fatigue behaviour of a phenolic matrix composite 367
Burch, I.A. *see* Khan, M.Z.S. 313

Cacko, J.
Simultaneous computer simulation of operational random processes and continual rainflow counting 183
Chen, C. *see* Tsay, L.W. 239
Chen, D.L., Weiss, B. and Stickler, R.
Effect of stress ratio and loading condition on the fatigue threshold 325
Cheng, S.W. *see* Tsay, L.W. 239
Choudhary, B.K., Rao, K.B.S., Mannan, S.L. and Kashyap, B.P.
Development of fatigue design curves for thick-section 9Cr-1Mo ferritic steel forging 219
Conti, P. *see* Bertini, L. 75

Daugaard, J. *see* Karger-Kocsis, J. 189
De-jun, W. *see* Zhao-feng, S. 395
Dowson, A.L., Hollis, A.C. and Beevers, C.J.
The effect of the alpha-phase volume fraction and stress ratio on the fatigue crack growth characteristics of the near-alpha IMI 834 Ti alloy 261
DuQuesnay, D.L. *see* Abdel-Raouf, H. 57
DuQuesnay, D.L., Topper, T.H., Yu, M.T. and Pompetzki, M.A.
The effective stress range as a mean stress parameter 45

Evans, W.J. *see* Bache, M.R. 331

Fael, P. *see* Branco, C.M. 367
Ferreira, J.M. *see* Branco, C.M. 367
Frise, P.R. and Bell, R.
Fatigue crack growth and coalescence at notches 51
Froustey, C. *see* Lasserre, S. 113

Gabb, T.P. *see* Gayda, J. 14
Gayda, J. and Gabb, T.P.
Isothermal fatigue behaviour of a [90°]8 SiC/Ti-15-3 composite at 426oC 14
Geary, W.
A review of some aspects of fatigue crack growth under variable amplitude loading 377

Hao, X. *see* Zhao-feng, S. 395
Hardy, S.J. and Malik, N.H.
A survey of post-Peterson stress concentration factor data 147
Harzheim, L. *see* Baumgartner, A. 387
Henaff, G., Petit, J. and Bouchet, B.
Environmental influence on the near-threshold fatigue crack propagation behaviour of a high-strength steel 211
Higo, Y. *see* Kumai, S. 105
Hollis, A.C. *see* Dowson, A.L. 261

Jinrui, W. *see* Yimin, L. 169
Jones, J.W. *see* Makhlouf, K. 97

Karger-Kocsis, J., Daugaard, J. and Amby, L.
Correlation between fracture toughness and fatigue crack growth thresholds in RIM polyamide block copolymers filled with milled glass fibres 189
Kashyap, B.P. *see* Choudhary, B.K. 219

International Journal of Fatigue
Materials Structures Components

Index to Volume 14 (1992)

No 1 January pp 1–72
No 2 March pp 73–144
No 3 May pp 145–208
No 4 July pp 209–280
No 5 September pp 281–352
No 6 November pp 353–432

© 1992 Butterworth-Heinemann Ltd
Part of Reed International Books

Author Index

Abdel-Raouf, H., DuQuesnay, D.L., Topper, T.H. and Plumtree, A.
Notch-size effects in fatigue based on surface strain redistribution and crack closure 57
Akyurek, T. and Bilir, O.G.
A critique on fatigue crack growth life estimation methodologies 30
Amby, L. *see* Karger-Kocsis, J. 189
Auradkar, R. *see* Srivatsan, T.S. 355

Bache, M.R. and Evans, W.J.
Tension and torsion fatigue testing of a near-alpha titanium alloy 331
Bai-Ping, D. *see* Nian, L. 41
Bai-ping, D. and Nian, L.
Relation between fatigue threshold and fatigue limit for surface-rolled specimens 403
Baker, M.J. *see* Zhao, W 121
Baumgartner, A., Harzheim, L. and Mattheck, C.
SKO (soft kill option): the biological way to find an optimum structure topology 387
Baumont, P.W.R. *see* Kedward, K.T. 283
Beevers, C.J. *see* Dowson, A.L. 261
Bell, R. *see* Frise, P.R. 51
Bergengren, Y. and Melander, A.
An experimental and theoretical study of the fatigue properties of hot-dip-galvanized high-strength sheet steel 154
Bertini, L. and Conti, P.
Fatigue crack growth behaviour of four structural steels in air and in a geothermal fluid environment 75
Bilir, O.G. *see* Akyurek, T. 30
Bouchet, B. *see* Henaff, G. 211
Branco, C.M., Ferreira, J.M., Richardson, M.O.W. and Fael, P.
Fatigue behaviour of a phenolic matrix composite 367
Burch, I.A. *see* Khan, M.Z.S. 313

Cacko, J.
Simultaneous computer simulation of operational random processes and continual rainflow counting 183
Chen, C. *see* Tsay, L.W. 239
Chen, D.L., Weiss, B. and Stickler, R.
Effect of stress ratio and loading condition on the fatigue threshold 325
Cheng, S.W. *see* Tsay, L.W. 239
Choudhary, B.K., Rao, K.B.S., Mannan, S.L. and Kashyap, B.P.
Development of fatigue design curves for thick-section 9Cr-1Mo ferritic steel forging 219
Conti, P. *see* Bertini, L. 75

Daugaard, J. *see* Karger-Kocsis, J. 189
De-jun, W. *see* Zhao-feng, S. 395
Dowson, A.L., Hollis, A.C. and Beevers, C.J.
The effect of the alpha-phase volume fraction and stress ratio on the fatigue crack growth characteristics of the near-alpha IMI 834 Ti alloy 261
DuQuesnay, D.L. *see* Abdel-Raouf, H. 57
DuQuesnay, D.L., Topper, T.H., Yu, M.T. and Pompetzki, M.A.
The effective stress range as a mean stress parameter 45

Evans, W.J. *see* Bache, M.R. 331

Fael, P. *see* Branco, C.M. 367
Ferreira, J.M. *see* Branco, C.M. 367
Frise, P.R. and Bell, R.
Fatigue crack growth and coalescence at notches 51
Froustey, C. *see* Lasserre, S. 113

Gabb, T.P. *see* Gayda, J. 14
Gayda, J. and Gabb, T.P.
Isothermal fatigue behaviour of a [90°]8 SiC/Ti-15-3 composite at 426oC 14
Geary, W.
A review of some aspects of fatigue crack growth under variable amplitude loading 377

Hao, X. *see* Zhao-feng, S. 395
Hardy, S.J. and Malik, N.H.
A survey of post-Peterson stress concentration factor data 147
Harzheim, L. *see* Baumgartner, A. 387
Henaff, G., Petit, J. and Bouchet, B.
Environmental influence on the near-threshold fatigue crack propagation behaviour of a high-strength steel 211
Higo, Y. *see* Kumai, S. 105
Hollis, A.C. *see* Dowson, A.L. 261

Jinrui, W. *see* Yimin, L. 169
Jones, J.W. *see* Makhlouf, K. 97

Karger-Kocsis, J., Daugaard, J. and Amby, L.
Correlation between fracture toughness and fatigue crack growth thresholds in RIM polyamide block copolymers filled with milled glass fibres 189
Kashyap, B.P. *see* Choudhary, B.K. 219

Kedward, K.T. and Beaumont, P.W.R.
The treatment of fatigue and damage accumulation in composite design 283
Khan, M.Z.S. and Burch, I.A.
Effect of seawater on the fatigue life and crack growth behaviour of a new microalloyed steel for submarine hull application 313
Kopsov, I.E.
Stress intensity factor solution for a semi-elliptical crack in an arbitrarily distributed stress field 399
Kumai, S., Yoshida, K., Higo, Y. and Nunomura, S.
Effects of the particle distribution on fatigue crack growth in particulate SiC/6061 aluminium alloy composites 105

Lanciotti, A. and Lazzeri, L.
Effects of spectrum variations on fatigue crack growth 319
Lasserre, S. and Froustey, C.
Multiaxial fatigue of steel—testing out of phase and in blocks: validity and applicability of some criteria 113
Lazzeri, L. *see* Lanciotti, A. 319
Li, Y.M. *see* Tsay, L.W. 239
Lin, H., Nayeb-Hashemi, H. and Pelloux, R.M.
Constitutive relations and fatigue life prediction for anisotropic Al-6061-T6 rods under biaxial proportional loadings 249

Mageed, A.M.A. and Pandey, R.K.
Studies on cyclic crack path and the mixed-mode crack closure behaviour in Al alloy 21
Makhlouf, K. and Jones, J.W.
Near-threshold fatigue crack growth behaviour of a ferritic stainless steel at elevated temperatures 97
Malik, N.H. *see* Hardy, S.J. 147
Mannan, S.L. *see* Choudhary, B.K. 219
Mattheck, C. *see* Baumgartner, A. 387
Mawari, T. *see* Ohta, A. 224
Maziarz, M. and Tasak, E.
Case study of fatigue failures in the support rings of a cement kiln 84
Melander, A. *see* Bergengren, Y. 154
Mueller, R. *see* Sonsino, C.M. 3
Muller, F. *see* Sonsino, C.M. 3

Nayeb-Hashemi, H. *see* Lin, H. 249
Nian, L. and Bai-Ping, D.
Effect of monotonic and cyclic prestrain on the fatigue threshold in medium-carbon steels 41
Nian, L. *see* Bai-ping, D. 403
Nunomura, S. *see* Kumai, S. 105

Ohta, A., Suzuki, N. and Mawari, T.
Effect of Young's modulus on basic crack propagation properties near the fatigue threshold 224

Padmanabhan, K.A. *see* Raman, S.G.S. 295
Pandey, R.K. *see* Mageed, A.M.A. 21
Pang, H.L.J.
Fatigue crack growth study of residual-stress effects 233
Pelloux, R.M. *see* Lin, H. 249
Petit, J. *see* Henaff, G. 211
Plumtree, A. *see* Abdel-Raouf, H. 57
Pompetzki, M.A. *see* DuQuesnay, D.L. 45

Radhakrishnan, V.M.
On the bilinearity of the Coffin–Manson low-cycle fatigue relationship 305
Raman, S.G.S. and Padmanabhan, K.A.
Determination of the room-temperature cyclic stress–strain curve of AISI 304LN austenitic stainless steel by two different methods 295
Rao, K.B.S. *see* Choudhary, B.K. 219
Richardson, M.O.W. *see* Branco, C.M. 367

Shoup, G.J., Tipton, S.M. and Sorem, J.R., Jr.
The effect of proof loading on the fatigue behaviour of stud link chain 35
Sonsino, C.M., Muller, F. and Mueller, R.
The improvement of fatigue behaviour of sintered steels by surface rolling 3
Sorem, J.R., Jr. *see* Shoup, G.J. 35
Srivatsan, T.S. and Auradkar, R.
Effect of silicon carbide particulate on cyclic plastic strain response characteristics and fracture of aluminium alloy composites 355
Srivatsan, T.S.
The low-cycle fatigue behaviour of an aluminium-alloy-ceramic-particle composite 173
Stickler, R. *see* Chen, D.L. 325
Suzuki, N. *see* Ohta, A. 224

Tasak, E. *see* Maziarz, M. 84
Taylor, D.
On the use of P-*a* plots to model the behaviour of short fatigue cracks 163
Tipton, S.M. *see* Shoup, G.J. 35
Topper, T.H. *see* DuQuesnay, D.L. 45
Topper, T.H. *see* Abdel-Raouf, H. 57
Tsay, L.W., Li, Y.M., Chen, C. and Cheng, S.W.
Mechanical properties and fatigue crack growth rate of laser-welded 4130 steel 239

Weiss, B. *see* Chen, D.L. 325
Weiss, M.P.
Estimating fatigue cracks, from the onset of loading, in smooth AISI 4340 specimens, under cyclic stresses 91

Yimin, L. and Jinrui, W.
Low-cycle fatigue behaviour of 30Cr2MoV steel at elevated temperatures 169
Yoshida, K. *see* Kumai, S. 105
Yu, M.T. *see* DuQuesnay, D.L. 45

Zhao, W. and Baker, M.J.
On the probability density function of rainflow stress range for stationary Gaussian processes 121
Zhao-feng, S., De-jun, W. and Hao, X.
Two-stage fatigue damage cumulative rule 395

Keyword Index

30Cr2MoV steel
·High-temperature conditions, Low-cycle fatigue 169
Al-6061-T6
Biaxial fatigue life prediction models, Material anisotropy effects 249
AISI 304LN austenitic stainless steel
Companion specimen test, Incremental step test 295
AISI 4340 steel
Curve fitting, Cyclic loading 91
Laser welding, Tempered martensite embrittlement 239
Aircraft
Load spectrum, Full-scale fatigue test 319
Alloy systems
Low cycle fatigue, Coffin–Manson relation 305
Alpha phase
Ti alloy, Fatigue crack growth 261
Amplitude
Variable, Crack closure 377
As-welded structures
Crack growth, Residual stress 233

Biaxial fatigue life prediction models
Material anisotropy effects, Al-6061-T6 249
Biological structures
Notch stresses, Lightweight design 387

Casting defects
Mechanics of cracks, Cement kilns 84
Cement kilns
Mechanics of cracks, Casting defects 84
Coalescence
Fatigue crack growth, Notches 51
Coated steels
High-strength steel, Hot-dip galvanizing 154
Coffin–Manson relation
Alloy systems, Low cycle fatigue 305
Combined loadings
Multiaxial fatigue, Steel 113
Companion specimen test
Incremental step test, AISI 304LN austenitic stainless steel 295
Composite
Phenolic, Glass-fibre-filled 367
Composite material
Microstructure, Fatigue fracture 355
Composites
SiC particulates, Reinforcement 105
Low-cycle fatigue, Cyclic fracture 173
Damage mechanics, Wearout 283
Computer codes
Life estimation, Crack growth 30
Continuous monitoring
Operational random processes, Simulating and counting algorithms 183
Corrosion
Submarine hulls, Seawater 313
Corrosion fatigue
Structural steels, Geothermal energy 75
Crack closure
Effective stress range, Mean stress 45
Surface strain redistribution, Notch-size effect 57
Ferritic stainless steel, Crack propagation 97
Variable, Amplitude 377
Crack growth
Life estimation, Computer codes 30
Crack growth
As-welded structures, Residual stress 233
Crack path
Mixed mode, Fatigue life 21
Crack propagation
Ferritic stainless steel, Crack closure 97
Curve fitting
AISI 4340 steel, Cyclic loading 91
Cyclic fracture
Composites, Low-cycle fatigue 173
Cyclic loading
Curve fitting, AISI 4340 steel 91

Damage accumulation
Loading sequence, Kneepoint coordinate 395
Damage mechanics
Composites, Wearout 283
Design analysis
Stress concentration factors, Mechanical components 147

Effective stress intensity factor
Propagation rate, Strain intensity factor 224
Effective stress range
Crack closure, Mean stress 45
Environmental influence
High-strength steel, Near-threshold fatigue 211

Fatigue crack growth
Coalescence, Notches 51
Alpha phase, Ti alloy 261
Fatigue design curves
Ferritic steels, LCF tests 219
Fatigue fracture
Composite material, Microstructure 355
Fatigue life
Mixed mode, Crack path 21
Fatigue limit
Short fatigue cracks, Probabilistic analysis 163
Fatigue threshold, Residual stress 403
Fatigue strength
Surface rolling, Sintered steels 3
Fatigue threshold
Medium-carbon steels, Prestrain 41
Stress ratio, Loading condition 325
Fatigue limit, Residual stress 403
Ferritic stainless steel
Crack propagation, Crack closure 97
Ferritic steels
Fatigue design curves, LCF tests 219
Fibre–matrix interface
Isothermal fatigue behaviour, SiC/Ti-15-3 composite 14
Fracture mechanics
Glass fibre filler, Polyamide-6 block copolymer 189
Full-scale fatigue test
Load spectrum, Aircraft 319

Gaussian processes
Random loading, Rainflow counting 121
Geothermal energy
Structural steels, Corrosion fatigue 75
Glass fibre filler
Fracture mechanics, Polyamide-6 block copolymer 189
Glass-fibre-filled
Phenolic, Composite 367

High-strength steel
Hot-dip galvanizing, Coated steels 154
Near-threshold fatigue, Environmental influence 211
High-temperature conditions
30Cr2MoV steel, Low-cycle fatigue 169
Hot-dip galvanizing
High-strength steel, Coated steels 154

Incremental step test
Companion specimen test, AISI 304LN austenitic stainless steel 295
Isothermal fatigue behaviour
SiC/Ti-15-3 composite, Fibre–matrix interface 14

Kneepoint coordinate
Loading sequence, Damage accumulation 395

LCF tests
Ferritic steels, Fatigue design curves 219
Laser welding
AISI 4130 steel, Tempered martensite embrittlement 239
Life estimation
Computer codes, Crack growth 30
Lightweight design
Notch stresses, Biological structures 387
Load spectrum
Full-scale fatigue test, Aircraft 319
Loading condition
Fatigue threshold, Stress ratio 325
Loading sequence
Kneepoint coordinate, Damage accumulation 395
Low–cycle fatigue
Alloy systems, Coffin–Manson relation 305
Composites, Cyclic fracture 173
30Cr2MoV steel, High-temperature conditions 169

Material anisotropy effects
Biaxial fatigue life prediction models, Al-6061-T6 249
Mean stress
Crack closure, Effective stress range 45
Mechanical components
Design analysis, Stress concentration factors 147
Mechanics of cracks
Casting defects, Cement kilns 84
Medium-carbon steels
Prestrain, Fatigue threshold 41
Microstructure
Composite material, Fatigue fracture 355
Mixed mode
Crack path, Fatigue life 21
Multiaxial fatigue
Combined loadings, Steel 113

Near-alpha titanium alloy
Tension, Torsion 331
Near-threshold fatigue
High-strength steel, Environmental influence 211
Notch stresses
Lightweight design, Biological structures 387
Notch-size effect
Surface strain redistribution, Crack closure 57
Notches
Fatigue crack growth, Coalescence 51

Operational random processes
Simulating and counting algorithms, Continuous monitoring 183

Phenolic
Glass-fibre-filled, Composite 367
Polyamide-6 block copolymer
Fracture mechanics, Glass fibre filler 189
Prestrain
Medium-carbon steels, Fatigue threshold 41
Probabilistic analysis
Short fatigue cracks, Fatigue limit 163
Proof loading
Stud link chain, Residual stresses 35
Propagation rate
Effective stress intensity factor, Strain intensity factor 224

Rainflow counting
Random loading, Gaussian processes 121
Random loading
Rainflow counting, Gaussian processes 121
Reinforcement
SiC particulates, Composites 105
Residual stress
As-welded structures, Crack growth 233
Fatigue threshold, Fatigue limit 403
Residual stresses
Stud link chain, Proof loading 35

Seawater
Submarine hulls, Corrosion 313
Semi-elliptical crack
Stress intensity factor, Stress concentration 399
Short fatigue cracks
Probabilistic analysis, Fatigue limit 163
SiC particulates
Reinforcement, Composites 105
SiC/Ti-15-3 composite
Isothermal fatigue behaviour, Fibre–matrix interface 14
Simulating and counting algorithms
Operational random processes, Continuous monitoring 183
Sintered steels
Fatigue strength, Surface rolling 3
Steel
Combined loadings, Multiaxial fatigue 113
Strain intensity factor
Propagation rate, Effective stress intensity factor 224
Stress concentration
Stress intensity factor, Semi-elliptical crack 399
Stress concentration factors
Design analysis, Mechanical components 147
Stress intensity factor
Semi-elliptical crack, Stress concentration 399
Stress ratio
Fatigue threshold, Loading condition 325
Structural steels
Geothermal energy, Corrosion fatigue 75
Stud link chain
Proof loading, Residual stresses 35
Submarine hulls
Seawater, Corrosion 313

Surface rolling
Fatigue strength, Sintered steels 3
Surface strain redistribution
Crack closure, Notch-size effect 57

Tempered martensite embrittlement
Laser welding, AISI 4130 steel 239
Tension
Near-alpha titanium alloy, Torsion 331
Ti alloy
Alpha phase, Fatigue crack growth 261
Torsion
Near-alpha titanium alloy, Tension 331

Variable
Amplitude, Crack closure 377

Wearout
Composites, Damage mechanics 283

Book Reviews 136, 271, 338, 410

Calendar 69, 143, 206, 278, 351, 424

Fatigue Abstracts 63, 138, 196, 272, 341, 411